



HGS (INDIA) LIMITED

HGS RSR 6 Pin Male Connector




158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845
Email: sales@hgsindia.com



HGS (INDIA) LIMITED

SCHEMATIC



SR. NO.	DESCRIPTION	QTY.
1	COMPRESSION NUT	1
2	BOOT WASHER	1
3	CABLE BOOT	1
4	WASHER COLLET	1
5	COLLET	1
6	RETAINING RING	1
7	CONN. BACK SHELL	1
8	STRESS WAFER	1
9	O-RING DURO 70	2
10	CONN. ASSY. 6 PIN (MALE)	1
11	CONN. SEAL INSERT	1
12	COUPLING RING	1
13	DUST CAP 6 PIN (MALE)	1
14	INSULATED WIRE ROPE	38cm
15	CRIMP SLEEVE	2

HGS RSR 6 Pin Male Connector

158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845
Email: sales@hgsindia.com



HGS (INDIA) LIMITED

SPECIFICATION

HGS RSR 6 Pin Male Connector

- 6 Pin male cable connector for battery chargers.
- 6 Male gold plated contacts to assure electrical connection.
- High impact resistant material.
- Water leak proof up to 3 bar
- Field Repairable.
- Fitted with dust cap.
- Stress wafer to avoid stress on solder joints.
- Operating Temperature Range: -20°C to +70°C
- Pressure Rating: Up to 3 bar