



HGS (INDIA) LIMITED



HGS 16F Cable Connector



158, Sector-4, IMT Manesar, Gurugram-122050, Haryana, INDIA
Tel: +91 (0124) 4681800
Email: sales@hgsindia.com




HGS (INDIA) LIMITED



SCHEMATIC

HGS 16F Cable Connector



11	BOOT NUT	01 No.
10	BOOT WASHER	01 No.
9	CABLE BOOT	01 No.
8	QUADRANG	01 No.
7	ALUMINIUM WASHER	01 No.
6	CONN. BODY SUB ASSY.	01 No.
5	STRESS WAFER	01 No.
4	O-RING	01 No.
3	COUPLING RING	01 No.
2	16 PIN F CONN. INSERT	01 No.
1	DUST CAP SUB ASSY. WITH WIRE ROPE & FERRULE	01 No.
S. NO.	DESCRIPTION	QTY

158, Sector-4, IMT Manesar, Gurugram-122050, Haryana, INDIA

Tel: +91 (0124) 4681800

Email: sales@hgsindia.com



HGS (INDIA) LIMITED



SPECIFICATIONS

HGS 16F Cable Connector

- Souriau connector inserts.
- Cable Capacity - 7 to 12 mm OD.
- Easily field repairable and water proof.
- High Impact Resistant Thermoplastic.
- Fully compatible with AMG BC 16 connector.
- Cable entry kit prevents rotational twist to conductors in housing.
- Stress wafer to avoid stress on solder joints.
- Maximum strength in rugged field condition.
- Fitted with dust cap.
- Operating Temperature Range: -20°C to +70°C.
- Pressure Rating: Up to 3 bar.

Version 1.2