



# HGS (INDIA) LIMITED



## 6 PIN F OVERMOULD CONN. ASSEMBLY



158, Sector-4, IMT Manesar, Gurugram-122050, Haryana, INDIA  
Tel: +91 (0124) 4681800  
Email: sales@hgsindia.com




# HGS (INDIA) LIMITED




## SCHEMATIC

### 6 PIN F OVERMOULD CONN. ASSEMBLY



FACE VIEW



3	CONNECTOR BODY SUB ASSY.	01 No.
2	QUADRING	01 No.
1	DUST CAP SUB ASSY. WITH WIRE ROPE & FERRULE	01 No.
S. NO.	DESCRIPTION	QTY

158, Sector-4, IMT Manesar, Gurugram-122050, Haryana, INDIA

Tel: +91 (0124) 4681800

Email: sales@hgsindia.com



# HGS (INDIA) LIMITED



## SPECIFICATIONS

### 6 PIN F OVERMOULD CONN. ASSY.

- 6 Female gold plated contacts to assure connection.
- High impact resistant material.
- Length 175mm, Dia 36.5mm.
- Water proof.
- Cable capacity up to 10mm OD.
- Colour: Black.
- Fitted with dust cap.
- Operating temperature range: -20° C to +70° C.
- Pressure Rating: Up to 3 bar.

Version 1.2