




HGS (INDIA) LIMITED



HGS-61 Pin Male Back to Back Conn.

SCHEMATIC

HGS-61 Pin Male Back to Back Conn.



8	THIMBLE 1.5 MM ² RING TONGUE	02 Nos.
7	PAN HEAD SCREW	02 Nos.
6	CONNECTOR BACK SHELL SCREW	06 Nos.
5	CONNECTOR BACK SHELL PLATE	01 No.
4	RUBBER GASKET,	01 No.
3	CONNECTOR BACK SHELL	01 No.
2	61 PIN MALE CONN. WITH NUT & O-RING	02 Nos
1	DUST CAP WITH WIRE ROPE & FERRULE	02 Nos.
S. NO.	DESCRIPTION	QTY

158, Sector-4, IMT Manesar, Gurugram-122050, Haryana, INDIA

Tel: +91 (0124) 4681800

Email: sales@hgsindia.com



HGS (INDIA) LIMITED



158, Sector-4, IMT Manesar, Gurugram-122050, Haryana, INDIA
Tel: +91 (0124) 4681800
Email: sales@hgsindia.com



HGS (INDIA) LIMITED



SPECIFICATIONS

HGS-61 Pin Male Back to Back Conn.

- Back to Back male connector used to connect two cables with 61 pin female connectors
- Easily field repairable
- Metal body for increased strength and use in rugged field condition
- Fitted with dust cap
- Operating Temperature Range: -20°C to +70°C
- Pressure Rating: Up to 3 bar

Version 1.2