



# HGS (INDIA) LIMITED



## G3i Land Cable



158, Sector-4, IMT Manesar, Gurugram-122050, Haryana, INDIA  
Tel: +91 (0124) 4681800  
Email: sales@hgsindia.com




# HGS (INDIA) LIMITED



## SCHEMATIC

### G3i Land Cable

G3i LAND CABLE with 4 Channel



3	TAKE-OUT, 5515F SCREW FIT IN LINE (BLUE)	SC0155
2	G3i LAND CABLE	AC0324
1	G3i-12S CABLE HEAD ASSY.	AJ0266
SL. NO.	DESCRIPTION	P/N

158, Sector-4, IMT Manesar, Gurugram-122050, Haryana, INDIA

Tel: +91 (0124) 4681800

Email: sales@hgsindia.com



# HGS (INDIA) LIMITED



## SPECIFICATIONS

### G3i Land Cable

- Seismic telemetry cable for G3i data acquisition system.
- Analog-2 pairs, Digital -4 pairs
- Heavy enameled round magnet wire for solderable applications
- Outer Diameter  $8.26 \pm 0.2$  mm
- Break Strength > 600 lbf
- Manufactured under approval of INOVA
- Water-blocked takeouts and end connections
- Uses the field proven end connectors
- Maximum strength in rugged field conditions. Enough flexibility and strength for use in mobile field operations and frequent handling, transportation in form of coil etc
- Operating Temperature Range:  $-40^{\circ}\text{C}$  to  $+70^{\circ}\text{C}$
- Waterproof up to 2 bar pressure

Version 1.2