



HGS (INDIA) LIMITED



HGS NK 27C (F & M) Refraction Cable Connectors



158, Sector-4, IMT Manesar, Gurugram-122050, Haryana, INDIA
Tel: +91 (0124) 4681800
Email: sales@hgsindia.com




HGS (INDIA) LIMITED



SCHEMATIC

HGS NK 27C (F) Refraction Cable Connectors



17	BACKSHELL NUT	01 No.
16	BOOT WASHER	01 No.
15	CABLE BOOT	01 No.
14	BACKSHELL	01 No.
13	INSULATED WIRE ROPE	01 No.
12	CHEESE HEAD SCREW, WHITE	04 Nos.
11	RING LUG	01 No.
10	COUPLING RING	01 No.
9	CABLE ANCHOR	01 No.
8	LOCK SPRING	02 Nos.
7	PIN RETAINER, BOTTOM	01 No.
6	FEMALE PIN	27 Nos.
5	PIN RETAINER, TOP	01 No.
4	NK-27-21C FEMALE CONN. SHELL	01 No.
3	CIRCULAR WASHER	01 No.
2	DUST CAP	01 No.
1	CRIMP SLEEVE	01 No.
S. NO.	DESCRIPTION	QTY

158, Sector-4, IMT Manesar, Gurugram-122050, Haryana, INDIA

Tel: +91 (0124) 4681800

Email: sales@hgsindia.com




HGS (INDIA) LIMITED



SCHEMATIC

HGS NK 27C (M) Refraction Cable Connector



16	BACKSHELL NUT	01 No.
15	BOOT WASHER	01 No.
14	CABLE BOOT	01 No.
13	BACKSHELL	01 No.
12	INSULATED WIRE ROPE	01 No.
11	CHEESE HEAD SCREW, WHITE	04 Nos.
10	RING LUG	01 No.
9	CABLE ANCHOR	01 No.
8	LOCK SPRING	02 Nos.
7	PIN RETAINER, BOTTOM	01 No.
6	MALE PIN	27 Nos.
5	PIN RETAINER, TOP	01 No.
4	NK-27-21C MALE CONN. SHELL	01 No.
3	CIRCULAR WASHER	01 No.
2	DUST CAP	01 No.
1	CRIMP SLEEVE	01 No.
S. NO.	DESCRIPTION	QTY



HGS (INDIA) LIMITED



SPECIFICATIONS

HGS NK 27C (F & M) Refraction Cable Connectors

- HGS NK 27C (F & M) connectors available with multiple size cable boot.
- Rigid Aluminum Body provides excellent impact protection.
- Water resistant.
- Easily field repairable.
- Gold plated pin & sockets for high conductivity.
- HGS NK 27C (F & M) connectors compatible to all engineering seismographs.
- Unique cable anchor ensures both anti-rotational movement and high pull-strength.
- Fitted with dust cap.
- Operating Temperature Range: -20°C to +70°C.

Version 1.2