



HGS (INDIA) LIMITED



HGS RSR 6 Pin Male Connector



158, Sector-4, IMT Manesar, Gurugram-122050, Haryana, INDIA
Tel: +91 (0124) 4681800
Email: sales@hgsindia.com




HGS (INDIA) LIMITED



SCHEMATIC

HGS RSR 6 Pin Male Connector



12	DUST CAP 6 PIN M & COMP. NUT WITH WIRE ROPE & FERRULE	01 No.
11	COUPLING RING	01 No.
10	8 PIN CONNECTOR SEAL INSERT SUB ASSY.	01 No.
9	CONNECTOR SUB ASSY. 6 PIN MALE	01 No.
8	O-RING	02 Nos.
7	STRESS WAFER	01 No.
6	CONNECTOR BACK SHELL	01 No.
5	COLLET	01 No.
4	WASHER COLLET	01 No.
3	CABLE BOOT	01 No.
2	BOOT WASHER	01 No.
1	RETAINING RING	01 No.
S. NO.	DESCRIPTION	QTY

158, Sector-4, IMT Manesar, Gurugram-122050, Haryana, INDIA

Tel: +91 (0124) 4681800

Email: sales@hgsindia.com



HGS (INDIA) LIMITED



SPECIFICATION

HGS RSR 6 Pin Male Connector

- 6 Pin male cable connector for battery chargers.
- 6 Male gold plated contacts to assure electrical connection.
- High impact resistant material.
- Water leak proof up to 3 bar
- Field Repairable.
- Fitted with dust cap.
- Stress wafer to avoid stress on solder joints.
- Operating Temperature Range: -20°C to +70°C.
- Pressure Rating: Up to 3 bar.

Version 1.2