



HGS (INDIA) LIMITED



Scorpion 4 Pair Digital Cable



158, Sector-4, IMT Manesar, Gurugram-122050, Haryana, INDIA
Tel: +91 (0124) 4681800
Email: sales@hgsindia.com




HGS (INDIA) LIMITED




SCHEMATIC

Scorpion 4 Pair (Light Duty, Dia 8.89 mm)




SCHEMATIC

Scorpion 4 Pair (Medium Duty, Dia 9.53 mm)



SCHEMATIC

Scorpion 4 Pair (Heavy Duty, Dia 10.41 mm)



158, Sector-4, IMT Manesar, Gurugram-122050, Haryana, INDIA

Tel: +91 (0124) 4681800

Email: sales@hgsindia.com




HGS (INDIA) LIMITED




SCHEMATIC

Scorpion 4 Pair (Very Heavy Duty, Dia 10.67 mm)



SCHEMATIC

Scorpion 4 Pair (Detour Cable, Blue, Dia 9.53 mm)



158, Sector-4, IMT Manesar, Gurugram-122050, Haryana, INDIA

Tel: +91 (0124) 4681800

Email: sales@hgsindia.com



HGS (INDIA) LIMITED



SPECIFICATIONS

Scorpion 4 Pair Digital Cable

- Integral twisted pair digital line cable with hermaphroditic 6 contact Dynacon quick couple mid span connectors for Scorpion, ION land imaging systems.
- Water block, 4 pair cable with PP fillers for round construction
- Manufactured under approval of ION Geophysical Corporation
- Break Strength >205 kgf
- Jacket color black
- Moulded water proof customer defined onboard / pigtail takeouts (customer's choice)
- Central takeout with detachable D-unit
- Customer specified lengths available
- Maximum strength in rugged field conditions
- Operating Temperature Range: -20°C to +70°C
- Waterproof up to 2 bar pressure

Version 1.2