



# HGS (INDIA) LIMITED



## HGS 6 PIN F OVERMOULDED CONNECTOR ASSEMBLY



158, Sector-4, IMT Manesar, Gurugram-122050 Haryana INDIA  
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845  
Email: sales@hgsindia.com




# HGS (INDIA) LIMITED




## SCHEMATIC

### HGS 6 PIN F OVERMOULDED CONNECTOR ASSEMBLY



FACE VIEW



3	CONNECTOR BODY SUB ASSY.	01 No.
2	QUADRING	01 No.
1	DUST CAP SUB ASSY. WITH WIRE ROPE & FERRULE	01 No.
S. NO.	DESCRIPTION	QTY



# HGS (INDIA) LIMITED



## SPECIFICATIONS

### HGS 6 PIN F OVERMOULDED CONNECTOR ASSEMBLY

- 6 female gold plated contacts to assure electrical connection.
- High Impact resistant material.
- Length 175 mm, Dia 36.5 mm.
- Water Proof.
- Cable Capacity up to 10 mm OD.
- Colour: Black.
- Fitted with dust cap.
- Operating Temperature Range: -20°C to +70°C
- Pressure Rating: Up to 3 bar.

Version 1.1