



HGS (INDIA) LIMITED



HGS 2BP Paralleling Land Connector



158, Sector-4, IMT Manesar, Gurgaon-122050 Haryana INDIA
Tel: +91 (0124) 4681800, Fax: +91 (0124) 4681845
Email: sales@hgsindia.com




HGS (INDIA) LIMITED



SCHEMATIC

HGS 2BP Paralleling Land Connector



9	CRIMP SLEEVE	02 Nos.
8	INSULATED WIRE ROPE, 100LBS, DIA-1.55MM	40cm
7	LEADER CABLE	01 No.
6	MALE DUST CAP	01 No.
5	COUPLING RING	01 No.
4	BANANA PLUG	02 Nos.
3	SPRING WASHER	02 Nos.
2	CONN. BODY SUB ASSY.	01 No.
1	FEMALE DUST CAP	01 No.
SL. NO.	DESCRIPTION	QTY



HGS (INDIA) LIMITED



SPECIFICATIONS

HGS 2BP Paralleling Land Connector

- Compatible with Kooter style connectors.
- Paralleling connector with 2 sets of male (banana) & female contacts.
- Replaceable male contact version also available
- Impact resistant material.
- Moulded on 4.57, 5.33 or 6.35 mm cable.
- Attached with male / female dust cap.
- Push-pull fit.
- Maximum strength in rugged field conditions.
- Arctic version also available.
- Specific configuration to customer specifications.
- Operating temperature range: -20°C to +70°C (Standard version) and -40°C to +70°C (Arctic version)
- Water resistant connector

Version 1.1